

INDEX MAPS.

T.13.N R.8W 2nd Mer.

	235-238	235-237	235-237	236-237	236-237	236
238	6 260 5 255 4 251 3 247 2 244 1 235					
	259	259	254	251	247	244
238	7 259 8 254 9 251 10 247 11 243 12 234					
	259	258	254	250	247	243
239	18 258 17 254 16 250 15 246 14 243 13 234					
	258	257	253	249	246	242
239	19 257 20 253 21 249 22 246 23 242 24 234					
	257	256	253	248	245	242
239	30 256 29 252 28 248 27 245 26 241 25 234					
	256	255	252	248	245	241
238	31 255 32 252 33 248 34 244 35 241 36 233					
	231-233	231-233	231-233	231-232	231-232	232

T.14.N R.8W 2nd Mer.

	266		266		266		266		267		267-265	
269	6	288	5	283	4	279	3	276	2	272	1	265
	288		287		282		279		275		272	
268	7	287	8	282	9	279	10	275	11	272	12	264
	287		286		282		278		275		271	
268	18	286	17	281	16	278	15	274	14	271	13	264
	286		285		281		278		274		271	
268	19	285	20	281	21	277	22	274	23	270	24	264
	285		284		281		277		273		270	
268	30	284	29	280	28	277	27	273	26	270	25	263
	284		283		280		276		273		269	
267	31	283	32	280	33	276	34	273	35	269	36	263
	261-263		261-263		261-263		261-262		261-262		262	

The figures on the lines refer to the page.

261

Township No. 14 North of Range No. 8 West 2nd Mer. Sec. 31.
Ch. Lbr.

South Boundary

East On a Run am line On the South Boundary of Sec. 31.
T. 14. N. R. 8 W.

40.00 Set a temp. 7th in support.

66.00 To a Brook 12 miles away, corner d.

80.00 Set the temp. 1st post for the cor of sec. 31 & 32.

Land rich and good for farming Timber Bush, Pop
lar. & Oak,

East On a Run am line On the South Boundary of sec. 32.
T. 14. N. R. 8 W.

30.00 To a Brook 15 miles away, corner W.

40.00 Set a temp. 7th in support.

80.00 Set a temp. 7th in support for the cor of sec. 32 & 33.

Land similar rolling.

East. On a Run am line On the South Boundary of sec. 33.
T. 14. N. R. 8 W.

40.00 Set a temp. 7th in support.

12.00 Enter a prairie.

30.00 Pass the prairie.

80.00 Set a temp. 1st post for the cor of sec. 33 & 34.

West to lands down East to 2nd rate prairie.

East. On a Run am line On the South Boundary of sec. 34.
T. 14. N. R. 8 W.

25.00 Enter a prairie.

40.00 Set a temp. 7th in support.

80.00 Set a post temp. 7th for the cor of sec. 34 & 35.

Land prairie & good for farming; dry rich soil.

East On a Run am line On the South Boundary of sec. 35.
T. 14. N. R. 8 W.

15.00 Enter prairie.

30.00 Pass the prairie.

45.00 Enter prairie.

65.00	Grassdo prairie.
80.00	Set a timber post for the cor of sec 35 & 36. Secs rich and good for farming; Timber Oak & Hickory.
East	On the true line On the South Boundary of sec. 36. T. 14. N. R. 877.
40.00	Set a timber post in a post
78.10	Set out the Range line 490 miles south of the cor of T. 13 & 14 N. R. 877. Secs R. rate.
West	On the true line On the South Boundary of sec. 36. T. 14. N. R. 877.
40.00	Set the timber post in a post on the true line from which N Oak 18 in diam. bears S 97° 13' 3' W 3' units north, & a Hickory 9 1/2 " " " N 25° 11' 26' "
80.00	Set the timber post on the true line for the cor of sec 35 & 36 from which, N Oak 36 in diam. bears S 77° 11' 11' W 11' units north and a Do. 40 " " " N 36° E. 26 " "
West	On the true line On the South Boundary of sec. 35. T. 14. N. R. 877.
40.00	Set the timber post in a post at the true line from which Hickory 15 in diam. bears N 55° 11' 27' W 27' units north, & a N Oak 12 " " " S 58° E. 17 " "
80.00	Set the timber post on the true line for the cor of sec 34 & 35 from which, (No bearing)
West	On the true line On the South Boundary of sec. 34. T. 14. N. R. 877.
40.00	Set the timber post in a post on the true line in prairie No bearing
80.00	Set the timber post on the true line for the cor of sec 33 & 34. from which, N Oak. 24 in diam. bears North 33 units north, & a

263

T. N. 14. N. R. N. 877 D. and (Mr. Sud:

W Oak. 24 in dia: beam. S157W. 106. Under creek.

West On the line On the South Branch of Sec. 33.
40.00 A Sugar 12 in dia: Stand on the line for the cor
of the sap.
80.00 Set the temp: post on the line for the cor of sec 32 & 33.
from which an Elm. 12 in dia: beam. N86W. 43 hnts dist;
under a Healy 14 " " " S32E. 25 " "

West On the line On the South Branch of Sec. 32.
T. 14. N. R. 877.
40.00 Set the temp: post on the line from which,
W Oak 20 in dia: beam. S37E. 13 hnts dist; &
Beak 9 " " " S46W. 3 "
80.00 Set the temp: post on the line for the cor of sec 31 & 32
from which, Sugar. 12 in dia: beam. N83W. 17 hnts dist;
under an Elm. 18 " " " S157W. 10 " "

West On the line On the South Branch of Sec. 31.
T. 14. N. R. 877
40.00 Set the temp: post on the line from which,
Healy 18 in dia: beam. N39W. 76 hnts dist; &
W Oak. 36 " " " S4E. 36 " "
78.12 To the post on of sec 1. & 31 & 36. T. 13 & 14. N. R. 879 W.

East Boundary

North On the East Boundary of Sec 36. T. 14. N. R. 877.
40.00 Set a post from which
W Oak. 18 in dia: beam. N7E. 10 hnts dist;
Do. 18 " " " S37E. 24 " "
80.00 Set a post for the cor of sec. 25 & 36. from which,
Buckeye 5 in dia: beam. S66W. 13 hnts dist; &
Cottonwood 30 " " " N14E. 12 " "
Land bet. oaks bottom.

North On the East Boundary of sec. 25 T. 14. N. R. 877

T. N. 14. R. N. 8 W 2nd (Mr. Ind.)

8.00	Trabrock 150 miles via, corner S.W.
40.00	Get a 1/4 section from white, Beck 12 in dist: from North of tracks east, & 2 No. 9 " " " 28 E. 28 "
80.00	Get a part for the cor of sec. 24 & 25 from white, Beck 27 in dist: from N 15 W. 30 miles east, & 2 No. 18 " " " South 16 " "
Land is hilly or broken. Good soil and well suited for farming.	
North	On the East Boundary of sec. 24. T. 14. R. 8 W.
33.00	Trabrock 10 miles via, corner S.W.
40.00	Get a 1/4 section from white, Sugar 6 in dist: from N 60 W 13 miles east, & 2 Beck 12 " " " N 57 E. 30 " "
80.00	Get a part for the cor of sec. 13 & 24. T. 14. R. 8 W from white, Beck 12 in dist: from N 60 W 3 miles east, & 2 Track 15 " " " N 6 E. 36. the rest; Land is a little rolling and good for farming. In the Beck, Sugar & Heick.
North	On the East Boundary of sec. 13. T. 14. R. 8 W. T. 6.
33.00	Trabrock 10 miles via, corner S.W.
40.00	Get a 1/4 section from white, Sugar 6 in dist: from N 7 W. 7 miles east, & 2 Sec. 20 " " " N 69 E. 15 " "
80.00	Get a part for the cor of sec. 12 & 13 from white Beck 6 in dist: from N 2 W 11 miles east, & 2 No. 18 " " " N 56 E. 15 " "
Land is same.	
North	On the East Boundary of sec. 12. T. 14. R. 8 W.
40.00	Get a 1/4 section from white, Beck 12 in dist: from N 6 E. 2 miles east, & 2 Edw. 8 " " " N 77 W. 28 " "
44.50	Trabrock 4 1/2 miles via, corner S.W.

84.00 Set a post for the cor of sec 14 12 from which,
Beck. 12 in diam. lines. N 76 E. 15 bents arch; to
No. 10 " " " S 26 W. 28 " "
Said land and goods for farming; Lumber Back to
Sugar Co.

North 2847 On the East Boundary of sec. 14 N. 8 W.
Intro cut the East Boundary line and set a post for the cor
of sec. 14. From which,
Beck. 6 in diam. lines. N 57 W. 4 bents arch; to,
Neup 8 " " " S 60 E. 5 " "
Said land and 2nd. rates; Lumber Beck, T. B. Act. & Henry

North 11.53 On the East Boundary of sec. 14 N. 8 W.
Set the temp. 7th support from which,
Neup 14 in diam. lines. N 39 W. 10 bents arch; to,
T. B. Act. 14 " " " S 22 E. 31 " "

42.03 To Run a com. line.

50.75 To the Township cor of T. 14 & 15 N. 8 W. from which
W. Walnut. 8 in diam. lines. South 8 bents arch; to
No. 7 " " " N 13 W. 13 " "

North Boundary.

West On a Run line On the South Boundary of sec. 36.
T. 15 N. 8 W.

40.00 Set a temp. 7th support.

72.09 Intro cut the Old Indian Boundary N 36 W. South of
Township Corner.
Said for Run Goods for.

East On the same line On the South Boundary of sec. 36.
T. 15 N. 8 W. N. 55 E.

32.09 Set the temp. 7th support on the line from which
Beck. 11 in diam. lines. N 69 E. 11 bents arch; to,
No. 10 " " " S 17 W. 13 " "

72.09 Set a post for the cor of T. 14 & 15 N. 8 W. from
which, W. Walnut 8 in diam. lines. South 8 bents arch;

T. N. H. N. R. N. 877 2nd (Mr. Ind.)

N Walnut 7 in diam. bears. N 137 W 13 fms. dist.
Post 122 looks North of the timber Township Co. r

East	Between Sec 31 & 32. T. 14 N. 75 W. 87 N. &
"	On the South Corner of sec. 31. T. 15 N. 87 W.
40.00	Get a 1/2 report from white,
	B Oak. 6 in diam. bears. S 85 W. 14 fms. dist. & a
	S Oak. — " — " N 18 E. 11 " "
80.00	Get a report for the cor of Sec. 31 & 32 from white,
	B Oak. 14 in diam. bears. S 57 E. 20 fms. dist. & a
	Sugar. 9 " " " N 24 E. 36 " "
	Land very broken. Timber Oak, Beech Sugar. & Poplar &c.
East	On the South Corner of sec. 32 T. 15 N. 87 W.
40.00	Get a 1/2 report from white,
	B Oak. 14 in diam. bears. S 1 E. 31 fms. dist. & a
	Ash. 20 " " " N 11 E. 77 " "
80.00	Get a report for the cor of sec. 32 & 33 from white,
	N Oak. 8 in diam. bears. S 59 E. 20 fms. dist. & a
	Buckeye. 10 " " " N 76 E. 25 " "
	West 1/2 broken. Land. East 1/2 Bottom. White. &c.
East	On the South Corner of sec. 33. T. 14 N. 87 W.
25.00	On Brook 6 fms. via. Lower S. W.
40.00	Get a 1/2 report from white,
	Blue Oak 8 in diam. bears. N 13 W 24 fms. dist. & a
	Oak 6 " " " S 67 E. 20 " "
80.00	Get a report for the cor of sec. 33 & 34 from white,
	Hickory 24 in diam. bears. S 60 W 10 fms. dist. & a
	Beech 11 " " " S 32 E. 36 " "
	Land West 1/2 very broken. East 1/2 level Timber
	Beech Oak, Sugar. Poplar. & Spruce. minor 8 th . rather not
East	On the South Corner of sec. 34. T. 15 N. 87 W.

267

T. N. 24 N. R. N. 877. 2nd Mer. Ind. a

35.00 Top Brook 20 bnts. m. n. corner J. Bonkroft m. local.
 40.00 Get a p. report from white.
 Bucking 9 in m. n. b. n. 52 E. 8 bnts. m. n. 72
 Blue Oak 24 1 1 1 N 51 E 36 4 1
 80.00 Get a report for the c. n. of r. 34 B 35 from white.
 Buck 10 in m. n. b. n. 41 E 15 bnts. m. n. 72
 Ho. 10 1 1 1 N 37 14 4 1
 Dep. point local on dep. point local on dep. point local.
 Same same.

East On the South B. m. n. of r. 35 T. 15 N. R. 877.
 40.00 Get a p. report from white.
 Buck 7 in m. n. b. n. 62 E. 7 bnts. m. n. 72
 N Oak 14 1 1 1 N 57 29 1 1
 62.50 Top Brook 20 bnts. m. n. corner J.
 80.00 Get a report for the c. n. of r. 35 T 36 from white.
 Buck 15 in m. n. b. n. 20 77 16 bnts. m. n. 72
 Ho 9 1 1 1 N 55 E 35 4 1
 Same same.

East On the South B. m. n. of r. 36 T. 15 N. R. 877
 11.03. Get a report from white. Get a report for the c. n. of r. 36 from white.
 N Oak 24 in m. n. b. n. 65 77 24 bnts. m. n. 72
 Buck 9 1 1 1 N 12 77 42 1 1

West Boundary.

1.00 On the East B. m. n. of r. 36 T. 14 N. R. 977.
 40.00 Get a p. report from white.
 Eng. 10 in m. n. b. n. 54 77 18 bnts. m. n. 72
 Ho. 10 1 1 1 N 50 77 28 1 1
 40.00 Top Brook 3 bnts. m. n. E.
 80.00 Get a report for the c. n. of r. 25 T 36 from white.
 N Oak 14 in m. n. b. n. 33 E 12 bnts. m. n. 72
 N Oak 18 1 1 1 West 7 1 1
 Sec. 1 local and rep. rate for farming. Local act & dep. 779

T. N. 14. N. R. N. 877 2nd Mer. Ind.

North	On the East Borneo of Lu. 25 T. 14 N. R. 977.
40.00	Get a 7/8 report from white,
	Heck 10 in dist. bars N 71 W 39 knots each, 7/8
	Beck 18 " " " N 76 E 52 " "
12.00	Top Borneo 8 knots min, corner E.
80.00	Get a report for the cu of Lu. 24 & 25 from white,
	Heck 10 in dist. bars N 57 E 13 knots each, 7/8
	" " " " N 66 W 22 " "
	Send a bar.
<hr/>	
North	On the East Borneo of Lu. 24 T. 14 N. R. 977.
40.00	Get a 7/8 report from white,
	W Oak 36 in dist. bars N 85 W 15 knots each, 7/8
	Com. 12 " " " N 26 W 14 " "
80.00	Get a report for the cu of Lu. 13 & 24 from white,
	Wagon 7 in dist. bars N 70 E 38 knots each, 7/8
	Lo. 14 " " " N 75 W 5 " "
	Send a bar. Similar same. Good for farming.
<hr/>	
North	On the East Borneo of Lu. 13. T. 14 N. R. 977.
40.00	Get a 7/8 report from white,
	Wagon 12 in dist. bars N 77 E 19 knots each, 7/8
	Beck 14 " " " N 36 W 31 " "
80.00	Get a report for the cu of Lu. 12 & 13 from white,
	Wagon 10 in dist. bars N 83 W 29 knots each, 7/8
	Lo. 10 " " " N 89 E 45 " "
	Send nothing. Similar same. First rate bar for farming.
<hr/>	
North	On the East Borneo of Lu. 12. T. 14 N. R. 977.
40.00	Get a 7/8 report from white,
	Wagon 24 in dist. bars N 59 E 11 knots each, 7/8
	W. Walnut 27 " " " N 77 W 25 " "
80.00	Get a report for the cu of Lu. 1 & 12 from white,
	Wagon 8 in dist. bars N 30 E 17 knots each, 7/8
	Heck 10 " " " N 31 W 10 " "

T. N. 14. N. R. 8 W 2nd (Mr. Lued.)

Land North 1/2 rather broken. Timber same not clear.

North
4000

On the East Boundary of sec. 1. T. 14 N. R. 8 W.

Set a 1/2 cup post from white oak

N. Oak 6 in dia. bears N 55 W. 19 links west; to

West. 13. " " S 43 E. 32. " "

5000

N. Oak 12 in dia. stands for the cor of sec. 1. 631836

T. 14 + 15 N. R. 8 + 9 W.

Land nothing Broken.

South
1,000

Sub divisions

On a Ranam line between Sec 35 + 36. T. 14 N. R. 8 W

Lost Prairie.

4000

Set a temporary 1/2 cup post in prairie

79.42

Set out the South Boundary 57 links West of the post

Cor of sec. 35 + 36.

Land 2nd rate for farming.

North
39.71

On the line between Sec. 35 + 36. T. 14 N. R. 8 W.

Set the temporary post at the arched on the line for

cor of 7, 12.

79.42

Set the post cor of sec. 25 + 26. 35 + 36.

East
75.50

On a Ranam line between Sec. 35 + 36. T. 14 N. R. 8 W

To a Creek 80 links wide, corner. N. W.

4000

Set a temporary 1/2 cup post.

61.00

The Creek.

81.50

Set out the East Boundary 74 links South of the post

cor of sec. 25 + 36.

Land 2nd rate Timber Elm, Sugar &c.

West

4525

On the line between Sec 25 + 36. T. 14 N. R. 8 W

Set the temporary 1/2 cup post at the arched on the line

from which Sycamore. 20 in dia. bears S 35 E. 16 links west,

21 yds. Mulberry 6 " " " N 1 E. 22 " "

81.50

Set the post cor of sec. 25, 26 35 + 36.

I. N. 14. N. R. N. 877 2nd (Nov. Ind.)

North Between Sec. 25 & 26, T. 14. N. R. 877. N. 6° 00'
 40.00 Set a 7th support from which
 Head & body 8 in dist. from. Set 6.3 links west, 7th
 Pawpaw. 5 4 " " N 877 16.4 "
 46.00 To a creek. 80 links from, corner N. W.
 80.00 Set a 7th support for the cor of sec. 23, 24, 25 & 26, from which
 Head 8 in dist. from. Set 48 E 5 links west, 7th
 Sugar. 15 4 " " S 44 77 3 "
 Send a set for mile work; 2nd & 7th broken, 2nd & 7th (note
 Send.

East On a Rannam line between Sec. 24 & 25, T. 14. N. R. 877
 9.00 To a Brook 10 links from, corner S. W. N. 6° 15'
 40.00 Set a temporary 7th support
 80.63 Enter cut for N & 3 line or East B road. 133 links
 South of the post cor of Sec. 24 & 25.
 Send a little broken & 2nd & 7th note; for farming.
 Timber Bush, Sugar.

West On the line between Sec. 24 & 25, T. 14. N. R. 877
 40.31 Set the temporary 7th support from the line at the arched
 from which Sugar. 10 in dist. from. N 65 77. 10 links west
 under a Oak 8 4 " " S 15 77. 16.4 "
 80.63 To the post cor of sec. 23, 24, 25 & 26.

South On a Rannam line between Sec. 23 & 24, T. 14. N. R. 877.
 40.00 Set a temporary 7th support N. 6° 00'
 79.84 Enter cut for E & 7th line. 20 links West of the post cor of
 Sec. 23, 24, 25 & 26.
 Send a rolling and good for farming; Timber Bush
 under Sugar.

North On the line between Sec. 23 & 24, T. 14. N. R. 877
 39.92 Set the temporary 7th support at the arched on the line
 from which Sugar. 18 in dist. from. N 89 77 39 the north
 under a Oak. 20 4 " " S 55 E 47 "

J. N. 14 N.R. N. 8 W. Quad. Min. Ind. 271

79.84	To the post on of sec. 13 14, 23 & 24.
East	On a River now line between Sec. 13 & 24 T. 14 N. R. 8 W.
40.00	Set a temporary 7/4 cu post.
80.37	Sub to the N. 13 line. 5 links South of the post on of sec. 13 & 24 Sec. 12 7/4 mile land; 2 nd 7/4 hill; 2 nd rate; for farming; Timber & Bush & Sugar.
West	On the same line between Sec. 13 & 24 T. 14 N. R. 8 W.
40.18	Set the temporary 7/4 cu post at the intersection on the same line from which, Bush 6 in diam. trees. 94677 7 links out made a "Do. 8 4 " " " 1226.22 " "
80.37	To the post on of sec. 13. 14. 23 & 24. January 17. 1816.
Jan. 13. 1816.	
North	Between Sec. 13 & 24. T. 14. N. R. 8 W.
40.00	Set a 7/4 cu post from which Bush 8 in diam. trees. 93877 3 links out; 7/4 Walnut 30 4 " " 989 E. 31 2 "
66.50	Tralerak. 50 links out, corner 9 W.
80.00	Set a post for the cu of sec. 11. 12 13 & 24 from which Hackberry 24 in diam. trees. 987 E. 17 links out; 1/2 Buckeye 6 " " " 18777.27; " Sec. 12 mile bottom Timber Walnut, Hackberry. &c.
Jan. 18. 1816. 7. 4. 00	
East	On a River now line between Sec. 12 & 13 T. 14 N. R. 8 W.
23.00	Tralerak 40 links out, corner 9 W.
40.00	Set a temporary 7/4 cu post
80.15	Sub to the East Boundary of links South of the post on of sec. 12 & 13. Sec. 12 land on a 2 nd rate for farming; Timber & Bush &c.
West.	On the same line. between Sec. 12 & 13. T. 14. N. R. 8 W.

J. No 14. NR No 877 Dnd (Mn. Indr.

40.07 Set the temp. 7/4 ea post at the ar ditch on the ten line
from which, Reach 8 in air: beam N5E. 12 links north
under w Do 8 4 " " N63W. 15 " "

80.15 To the post on of ea. 11. 12 13 & 14.

North Between Sur. 11 & 12 J. 14. NR 877. N. 6° 00'

40.00 Set a 7/4 ea post from which,
Sugan. 12 in air: beam N32W. 8 links north, & 13
Reach 8 " " " N57W. 10 " "

80.00 Set a post for the cor of ea. 1. 2 11 & 12 from which,
Reach being 18 in air: beam N26E. 28 links north, & 14
B. Oak. 40 " " " N7E. 22 " "

Same de same.

East On a Run from line between Sur. 1 & 12 J. 14. NR 877.

40.00 Set a temp. 7/4 ea post.

80.85 Enter cut the N 83 line on East Bonnet 20 links South
of the post on of ea. 1 & 12.
Same de same.

West On the ten line between Sur. 1 & 12 J. 14. NR 877.

40.40 Set the temp. 7/4 ea post at the ar ditch on the ten line
from which, Reach 18 in air: beam N21W. 6 links north,
under w Sugan. 12 " " " N38E. 15 " "

80.85 To the post on of ea. 1. 2. 11. & 12.

North Between Sur. 1 & 12 J. 14. NR 877. N. 6° 00'

40.00 Set a 7/4 ea post from which,
Sugan. 12 in air: beam N82E. 17 links north, & 13
Reach 4 " " " N63W. 13 " "

57.50 To a Brook. 10 links north, corner W.

77.00 " " Do. 10 " " " " "

83.88 Enter cut the W 83 line at 288 links East of the post on
of the post on of ea. 35 & 36. J. 15. NR 877 and set
a post for the cor of ea. 1 & 12 from which
Reach 9 in air: beam N38W. 25 links north,

273

T. N. 14. N. R. N. 877 2nd Mer. Sur.

W Oak. 14 in dia: trees 862 E. 29 links each
No description of land

North Return Sur. 34 & 35 T. 14 N. R. 877 P. in 6th
40.00 Set a post in prairie.
75.00 Sugar prairie
80.00 Set a post for the cor of sec. 26, 27, 34 & 35 from which
W Oak. 18 in dia: trees. N 83 E. 77 links each; to
Newly 12 1/2 " " N 32 W 44 1/2 "
Scrub prairie 1st rate for farming.

East Return Sur. 26, 35. T. 14 N. R. 877 P. in 6th 15'
30.00 To prairie.
40.00 Set a post in prairie
75.00 Sugar prairie
80.00 Set a post for the cor of sec. 25, 26, 35 & 36, from which
Hackberry 8 in dia: trees. N 48 E. 3 links each; to
E. pr. 12 1/2 " " S 67 W 19 1/2 "
The prairie not 3rd rate land.

South Aug. Random line between Sec. 26 & 27 T. 14 N. R. 877
8.00 To prairie
30.50 Sugar prairie
40.00 Set a temp. post
80.04 Intervent the East & West 50 links East of the post cor.
Sept. 26, 27, 34 & 35.
Land 2nd rate Timber Oak & No. 12 1/2

North On the line between Sec. 26 & 27 T. 14 N. R. 877.
40.00 Set the temp. post at the arched on the new line
from which Sugar 8 in dia: trees. S 78 E. 17 links each
under W Oak 6 1/2 " " S 66 W 33 1/2 "
80.04 To the post cor of sec. 22, 23, 26 & 27.

West Return Sur. 23 & 26. T. 14 N. R. 877 P. 6th 15'

274

T. No. 14 N. R. No. 8 N. 2nd Mer. Sec.

30.50 To a creek 80 miles mid, corner N. W.
 36.00 To a bend in the creek.
 40.00 Set a 1/4 support in the creek.
 80.00 Set a post for the crop of sec. 22, 23, 26 & 27 from white,
 Sugar 3 in dia. beam. N 73 W. 11 links each, by
 Hackberry 8 " " N 31 E. 65 " "
 Land 2nd rate; Timber Hackberry Sugar, &c.

North Return Sec. 22 & 23. T. 14 N. R. 8 N. 7. 6' 10'
 40.00 Set a 1/4 support from white,
 Sugar no. 12 in dia. beam. S 2 E. 85 links each, by
 Cottonwood 4 " " N 71 E. 24 " "
 41.00 To a creek 8 links mid, corner N. W.
 80.00 Set a post for the crop of sec. 14 15 22 & 23 from white,
 Walnut 8 in dia. beam. N 62 W. 19 links each; by
 Hackberry 12 " " N 47 E. 39 " "
 Land 1st 1/2 mile rich bottom; 2nd 1/2 mile hilly,
 3rd rate land

East Return Sec. 14 & 23. T. 14 N. R. 5 N. 7. 6' 15'
 40.00 Set a 1/4 support from white,
 Buckeye 6 in dia. beam. N 13 E. 15 links each; by
 Hackberry 8 " " S 12 W. 31 " "
 52.00 To a creek 50 links mid, corner N. W.
 80.00 Set a post for the crop of sec. 13, 14 23 & 24 from white,
 Birch 26 in dia. beam. S 15 W. 43 links each; by
 Sugar 12 " " S 89 E. 25 " "
 Land good for farming; Timber Birch, Sugar,
 Walnut, &c.

South Open Ran. line between Sec. 14 & 15 T. 14 N. R. 8 N.
 25.00 To a creek 10 links mid, corner E.
 40.00 Set a 1/4 support
 80.50 Set a post for the E & W line 10 links East of the post crop
 Sec. 14 15 22 & 23.
 Land hilly and 3rd rate Timber Birch & Sugar.

North
40.25 On the line between Sec. 14 & 15 T. 14 N. R. 877.
Set the trap 7/8 in a post at the cross ditch on the line
from which, Beck. 4 in dist. from N 70 E 9 miles dist;
and p. No. 4 " " " S 24 N. 4 " "
80.50 To the post on of sec. 10, 11, 14 & 15.

West
22.50 Between Sec. 11 & 14 T. 14 N. R. 877. T. 6 to 10.
To a Brook 15 miles mid, corner J.
40.00 Set a trap in a post on the line for the corner of the farm which
a thick 8 in dist. from N 23 E 27 miles dist. to
Beck. 10 " " " West - " "
80.00 Set a post for the corner of sec. 10, 11, 14 & 15. From which,
Long on 6 in dist. from N 32 E 3 miles dist. to
N 30 " " " S 34 N. 18 " "
Land to be made into a good farm, 2nd rate
Broken 2nd rate.

South
40.00 On a Rannum line between Sec. 10 & 11. T. 14 N. R. 877.
Set a trap 7/8 in a post.
48.00 To a Brook 10 miles mid, corner J. E.
80.00 Set a post on the line 6.3 miles West of the post on of
Sec. 10, 11, 14, & 15,
Land to be made into a good farm, 2nd rate.

North
40.00 On the line between Sec. 10 & 11. T. 14 N. R. 877.
Set the trap 7/8 in a post at the cross ditch on the line
from which, Beck. 12 in dist. from N 53 E 13 miles dist
and p. No. 4 " " " S 14 N. 14 " "
80.00 To the post on of sec. 2, 3, 10 & 11.

East
38.00 On a Rannum line between Sec. 2 & 11. T. 14 N. R. 877
To a Brook 15 miles mid, corner J. 47.
40.00 Set a trap 7/8 in a post
81.50 Set a post on the line 11 miles South of the post on
of sec. 1, 2, 11 & 12
Land 2nd rate; Shilly. From Beck to

T. N. 14. N. R. N. 8 W. 2nd Mer. Ind.

West. Cap the line between Sec 27 & 11 T. 14 N. R. 8 W.
 40.75 Set a trap 1/2 m. east at the orchard on the line
 from which, Hick 10 in air: trees 36 E. 13 the dist.
 up to W Oak 24 " " " N 82 W. 2 1/2 "
 81.50 To the post on of Sec. 2, 3 10 & 11.

North Between Sec 2 & 3. T. 14 N. R. 8 W.
 40.00 Set a trap east from which
 Sugar 14 in air: trees 36 E. 24 links each; 75
 W Oak 18 " " " N 66 W. 8 1/2 "
 60.00 To a Birch 5 links from, corner E.
 82.95 Set out the N. 7 from W. 7 216 links - East of the post on
 of Sec 34 & 35. T. 15 N. R. 8 W. and set a post for the
 cor of Sec 3 & 3 from which
 1/2 Birch 14 in air: trees 39 W. 35 links each; 75
 Sugar 9 " " " S 85 E. 14 " "
 Some broken timber Birch, Sugar, Oak, Ash, Poplar, &
 Good soil.

North Between Sec 33 & 34 T. 14 N. R. 8 W. N. 600
 30.00 Passed prairie
 40.00 Set a trap east from which
 W Oak 36 in air: trees 36 E. 12 links each; 75
 Sugar 12 " " " S 23 W. 21 " "
 80.00 Set a post for the cor of Sec 27 28 33 & 34 from which
 Sugar 12 in air: trees 36 W. 13 links each; 75
 L. O. 12 " " " N 32 W. 14 " "
 Some N. pr. Good for farming. Timber Sugar,
 Poplar, Birch & Oak.

West Cap Manassas line between Sec 27 & 34 T. 14 N. R. 8 W.
 40.00 Set a trap 1/2 m. east N. 60 15'
 80.38 Set out the N. 13 line 28 links North of the post on of
 Sec 27 28 33 & 34
 Some a little cutting and good for farming;
 Timber Sugar, Birch & Oak.

East On the new line between Sud 27, 1834 T. 14 N.R. 877.
 40.09 Set the temp. 7th in superst. at the air chit on the new line from
 which a Peach 15 in air: time N 22 E. 18 knots each, to
 Sugar. 10 " " " 865749 " "
 80.38 To the post on of sud. 26, 27, 34 & 35.

North Return Sud 27, 1828 T. 14 N.R. 877.
 40.00 Set a 7th in superst from white,
 Peach 20 in air: time. N 87 W. 11 knots each, to
 Oak 9 " " " N 50 E. 37 " "
 80.00 Set a post for the air of sud 21, 22, 27, 1828 from white,
 Peach 12 in air: time. N 16 E. 14 knots each: to
 Do. 18 " " " 8877.44 " "
 Land rolling and muddling good for farming.
 Timber Peach, Oak Sugar, Poplar. 15.

West On a new line between Sud 22 & 27 T. 14 N.R. 877.
 40.00 Set a temp. 7th in superst.
 81.29 On the cut the N.R. line 7 knots North of the post on of
 Sud. 21, 22, 27 & 28.
 Good 2nd rate farming land; Timber Peach & Sugar 15.

East On a new line between Sud 22, 1827. T. 14 N.R. 877.
 40.64 Set the temp. 7th in superst at the air chit on the new line
 from white, 43 Walnut 30 in air: time. N 12 E. 46 knots each
 and 2 Blackberry 12 " " " 943 E. 37 " "
 81.29 To the post on of sud. 22, 23, 26 & 27.

North Return Sud 21 & 22 T. 14 N.R. 877.
 40.00 Set a 7th in superst from white,
 Walnut 8 in air: time. S 2 E. 3 knots each, to
 73 Oak. 24 " " " N 107 W. 11 " "
 80.00 Set a post for the air of sud. 15, 16, 21 & 22 from white,
 Walnut 7 12 in air: time. S 26 E. 26 knots each, to
 Oak. 14 " " " N 40 W. 26 " "

J. N. 14 N. R. N. 8 W. 2nd Mer. Sec. 2.

Ground Broken. Timber same. Soil good.

West	On a Run am line between Sec 15 & 22, T. 14 N. R. 8 W.
40.00	Set a trap for the rabbit.
61.00	To a creek. 100 miles wide, (Corner N. W.)
81.50	Set a post on the N. W. line 10 miles North of the post on off Sec. 14 15, 22 & 23. Ground broken & 3 rd coat.
East	On a Run am line between Sec. 15 & 22, T. 14 N. R. 8 W.
40.75	Set a trap for the rabbit at the ar ditch in the line from whichever corner 6 in dist. from S. 2 W. 12 miles out and up No. 10 & 2, S. 1 E. 18 "
81.50	Set a post on off Sec. 15 16, 21 & 22. (Set a post on the N. W. line 10 miles North of the post.)
North	On a Run am line between Sec. 15 & 16, T. 14 N. R. 8 W.
12.00	To a Creek. 150 miles wide Corner W.
40.00	Set a trap for the rabbit
55.00	To a Creek. 20 miles wide, (Corner W.)
65.00	To a Creek Bank.
79.34	Set a post on the E. W. line 189 miles West of the post on off Sec. 9 10 13 & 16. Ground Broken, Timber Birch, Sugar, Oak, & Poplar
South	On a Run am line between Sec. 15 & 16, T. 14 N. R. 8 W.
39.67	Set a post for the on off. on the line from which Sugar 12 in dist. from S. 3 E. 16 miles out, to N. W. line 10 & 2, S. 1 E. 18 "
79.34	Set a post on off Sec. 15 16 21 & 22.
West	Between Sec 10 & 15. T. 14 N. R. 8 W.
20.00	Set a trap for the rabbit from which Beech 8 in dist. from S. 3 E. 15 miles out, to Sugar 6 & 2, S. 1 E. 18 "
80.00	Set a post for the on off Sec. 9, 10 13 & 16 from which, ar.

T. N. 14 N. R. N. 871 2nd Mm. Sec.

Sugar 10 in dist. from S 12 E 15 mts. north of

Lo. 10 " " " N 12 W 11 " "

Land hilly, made 3rd rate; Little Beach, Sugar Is.

North Return Dec 9710 T. 14 N. R. 871. p. 6

40.00 Set a 1/2 report from white

Sugar 36 in dist. from N 5 E 10 mts. north of
Camp 4 " " " S 60 W 24 " "

45.00 To a Brook 15 mts. north, corner W.

80.00 Set a post for the corner of S 3.49 110 from white

Sugar 8 in dist. from S 64 W 7 mts. north of

Beach 12 " " " S 50 E 27 " "

Land hilly 3rd rate.

East Return Dec 3070 T. 14 N. R. 871.

31.50 To a Brook 20 mts. north, corner W.

40.00 Set a 1/2 report from white

Sugar 8 in dist. from S 86 E 7 mts. north of

Lo. 10 " " " N 84 W 27 " "

80.00 Set a post for the corner of S 2, 3.10 111 from white

Beach 8 in dist. from N 30 W 5 mts. north of

Map 12 " " " S 71 W 24 " "

Land same.

Jan. 20. 1816.

North Return Dec 3074 T. 14 N. R. 871.

40.00 Set a 1/2 report from white

Sugar 6 in dist. from S 25 E 7 mts. north of

Beach 12 " " " N 69 W 42 " "

82.67 Set a post for the corner of S 319 mts. East of the post corner of
Dec. 33834 T. 15 N. R. 871 and set a post for the corner of
" 384 from white

Beach 26 in dist. from N 23 W 12 mts. north of

Lo. 10 " " " S 36 34 " "

Land low; Little Beach, Sugar Is. Land good
for farming.

Met Between Dec 21 & 28 J. 14 N. R. 877 p. 615
 40.00 Set a post from which
 Poplar 30 in diam. trunk. 28 E. 11 links each, 24
 Hick. 14 " " " " N 22 W 31 2
 79.00 To a post 10 links each, 100 ft.
 80.00 Set a post for the cor. of sec. 20-21, 28 & 29 from which
 Elm. 12 in diam. trunk. 15 W 33 links each, 24
 11 Oak 20 " " " " N 21 E. 24 " "
 Land with much muddling good for farming. Timber
 Oak Hick. and Poplar.

South On a Random line between Dec 20 & 21 J. 14 N. R. 877.
 40.00 Set a temp. post in east.
 79.00 Enter sec the E 17 W line 60 links East of the post on off
 Dec. 20 21, 28 & 29.
 Land with Timber Oak, Sugar. Birch & Poplar.

North On the true line between Dec 20 & 21 J. 14 N. R. 877.
 39.30 Set the temp. post in east at the ar. dist. on the true line.
 From which Sugar 10 in diam. trunk. 89 E 15 links each
 and 20 " " " " N 45 W 26 " "
 79.00 To the post cor. of sec. 16 & 17, 20 & 21.

Met Between Dec. 16 & 21 J. 14 N. R. 877
 40.00 Set a post from which
 11 Oak 30 in diam. trunk. N 81 E. 50 links each, 24
 100 24 " " " " N 22 E. 42 " "
 80.00 Set a post for the cor. of sec. 16, 17, 20 & 21 (from which)
 A Gum 12 in diam. trunk for sec. cor.
 Land East for broken; West for level some post rather
 up and good for farming only muddling
 Timber Oak, Birch, Poplar & Gum.

South On a Random line between Dec 16 & 21 J. 14 N. R. 877.
 40.00 Set a temp. post in east
 79.63 Enter sec the N 16 E line 29 links East of the post cor.

J. N. M. R. No 877 Q. A. M. L. S. A.

Sept. 16/17/20/21.

Land a part broken & part level. Timber Service Soil 2nd rate,

North On the line between Sec 16 & 17 of T. 14 N. R. 8 W.
39.81 Set a trap 1/2 mi. east at the arched in the line.
from which, W Oak 14 in dist. line. S 14 E 8 links west
made with Oak. 18 " " " N 17 E 35 " "
49.63 To the post on of sec. 8. 9. 16 & 17.

West Between Sec. 9 & 16. T. 14 N. R. 8 W.
40.00 Set a 1/2 mi. east post from which,
Sugar 8 in dist. line. N 55 E 25, links west, to
Do 9 " " " S 28 - 14 " "
68.00 To a creek 150 links west, Corner N.
80.00 Set a post for the cor of sec. 8. 9. 16 & 17 (from which)
A blackberry 30 in dist. stands for the cor.
Land 21 mi.

North Between Sec. 8 & 9. T. 14 N. R. 8 W.
40.00 Set a 1/2 mi. east post from which,
W Oak 36 in dist. line. S 44 W. 7 links west, to
Hedgeberry 9 " " " N 20 E. 28 " "
80.00 Set a post for the cor of Sec. 4. 5. 8 & 9 from which,
Blackberry 9 in dist. line. S 88 W. 23 links west,
to Buckeye 14 " " " N 50 E. 20 " "
Land R. rate, part bottom.

West On a line between Sec. 4 & 9. T. 14 N. R. 8 W.
22.00 To a creek 10 links west, Corner N.
40.00 Set a trap 1/2 mi. east
41.00 To a creek 100 links west, Corner N.
81.37 Set a post on the N 75 W line. 45 links south of the post
on of sec. 4. 5. 8 & 9.
Land hilly and 2nd rate for farming; Timber
Black R.

I. N. 14 N. R. No 877 2nd Min. End.

East	On the line between Dec 4 & 9 I. 14 N. R. 877.
40.68	Set the trap 17 1/2 sapest at the arched on the line mid.
	from white, 77 Oak. 18 in air. from. N 42 W. 14 units out.
	and a Buck. 8 " " " " N 40 E. 12 " "
81.37	To the post cor of Dec. 3. 4. 9 & 10.
North	Between Dec. 4 & 5 I. 14 N. R. 877.
40.00	Set the 7 1/2 sapest in a creek. 150 units mid, corner N.
	Nothing true.
46.00	In a creek. 150 units mid, corner N. E.
50.50	" " Do. 150. " " " " N. W.
62.00.	" " Do. 150 " " " " N. E.
70.00	" " Do. 150 " " " " N. W.
80.49	Set out the E 77 line 384 units East of the post cor of Dec. 32 & 33. I. 15 N. R. 877. and set a post for the cor of Dec. 4 & 5. from white.
	Blackberry 9 in air. from. N 40 E. 20 units out, & a
	Do. 9 " " " " N 5 E. 28 " "
	Same a mid bottom.
South	On a Run am line between Dec 31 & 30 I. 14 N. R. 877
40.00	Set a trap 17 1/2 sapest.
81.31	Set out the South Run at 48 units East of the post cor of Dec. 31 & 30
	Same part bird and part broken. Same same. good for farming.
North	On the line between Dec. 31 & 30 I. 14 N. R. 877.
40.65	A Sugar. 10 in air. stands at the arched on the line for the cor of Dec 1
81.31	To the post cor of Dec. 30 31. 29 & 28.
West	Between Dec. 29 & 30 I. 14 N. R. 877 12. 6 & 20
5.00	To a Brook. 15 units mid, corner E. W.
40.50	Set a 7 1/2 sapest from white
	Sugar 10 in air. from. N 45 W. 31 units out, & a

T. N. 14 N. R. N. 8 W. 2nd Mer. Sec. 2

80.00 Sugar 9 in dist. from S 76 E. 33 huts each; 1 -
 Set a post for the cor of lot 29, 30 31 & 32 from white;
 Wash 10 in dist. from N 67 W. 35 huts each; 2;
 Bepk 12 " " " " N 70 E. 40 " "
 Land part best and part broken. Moulding good
 for farming; Timber Birch Sugar & Poplar,

West Return Lot 31 & 32. T. 14 N. R. 8 W.
 4.00 Log Brook 10 huts mid, corner S. W.
 40.00 Set a 1/4 sa post from white;
 Wash 18 in dist. from N 7 E. 19 huts each; 2;
 Sugar 12 " " " " S 66 W. 23 " "
 71.00 Log Brook 6 huts mid, corner S.
 79.12 Enter lot. the West Borne at 153 huts North of the post
 cor of lot 25 & 36. T. 14 N. R. 9 W. and set a post.
 " " " 30 & 31 from white;
 Wash 24 in dist. from S 81 E. 3 huts each; 2;
 Oak 9 " " " " N 58 W. 10 " "
 Can a part rolling and part level Timber some very
 not made good for farming.

South On a Main line between Lot 29 & 30 T. 14 N. R. 8 W.
 40.00 Set a trip 1/4 sa post.
 75.00 Log Brook 10 huts mid, corner S. W.
 79.90 Enter lot the E & W line. 10 huts West of the post cor of
 Lot 29 30 31 & 32
 Can do similar very not made good for farming;

North On the line between Lot 29 & 30 T. 14 N. R. 8 W.
 39.95 Set the trip 1/4 sa post at the ar dist on the line
 from white; Bepk 12 in dist. from S 57 W. 7 huts each
 under Sugar 9 " " " " N 54 E. 34 " "
 79.90 To the post cor of lot 19 20 29 & 30.

West Return Lot 28 & 29. T. 14 N. R. 8 W.
 40.00 Set a 1/4 sa post from white;

T. No 14 N.R. No 8 W 2nd Mer. Ind.

W Walnut. 8 in dia: trees. S 78 E. 13 mts north
 Sugar. 9. " " N 49 W. 36 "
 80.00 Set a post for the cor of sec. 19 20 29 30 from which
 Height 18 in dia: trees. S 87 E. 8 mts north, S.
 Sugar. 12 " " S 51 W. 26 "
 Land not sold Timber Oak. Beech Sugar. Good
 Land for farming.

West Between Sec. 19 30 T. 14 N. R. 8 W.
 40.00 Set a post from which
 Beech 18 in dia: trees. N 25 E. 50 mts north, S.
 W Walnut. 10 " " N 40 W. 4 "
 49.03. Enter at the West Bound. T. 133 mts north of the post
 in of sec. 24 25 T. 14 N. R. 9 W. and set a post for the
 " " 19 30 from which
 Sugar 11 in dia: trees. North 50 mts north, S.
 Height 12 " " S 55 W. 24 "
 Land not sold Not out for farming. Timber Beech,
 Sugar & Walnut

North On a line between Sec. 19 20 T. 14 N. R. 8 W.
 5.50 To a Brook 8 mts north, Corner E.
 40.00 Set a post for the corner
 41.00 To a Brook. 3 mts north, Corner E.
 52.00 " " N 61 S. 5 " " E.
 80.00 Enter at the E & W line 13 mts East of the post in of sec
 19 20 29 30
 Land same.

North On the line between Sec. 19 20 T. 14 N. R. 8 W.
 40.00 Set the post for the corner at the ar. act on the line.
 from which Sugar 14 in dia: trees. N 74 E. 15 mts north,
 and a Do. 10 " " N 14 W. 25 "
 80.00 Set the post in of sec. 17 18 19 20

West Between Sec. 17 20 T. 14 N. R. 8 W.

T. N. 14 N. R. No. 8 W 2nd. Mer. Ind.

40.00 Set a 1/4 section from white,
 13 Oak 18 in diam. trees 877 E. 10 bush each; 72,
 11 Oak 5 " " " 1371. 15 " "
 80.00 Set a post for the corner. 17, 18, 19 & 20 from white,
 11 Oak 9 in diam. trees 1571. 16 bush each; 72,
 Sugar 15 " " " 135 E. 29 " "
 Good la. little rolling very rich and good for farm-
 ing; Timber Decid. Sugar, Poplar, &c.

West Return Dec. 18 & 19 T. 14 N. R. 8 W
 40.00 Set a 1/4 section from white,
 Sugar 18 in diam. trees 188 E. 42 bush each; 72,
 11 Oak 7 " " " 14871. 16 " "
 79.80 Intersect the West Return 168 bush North of the post
 corner of sec. 13 & 24 T. 14 N. R. 9 W and set a post for the
 " " 18 & 19 from white,
 11 Oak 27 in diam. trees 14971. 25 bush each; 72, ---
 10 " 24 " " " 172 E. 40 " "
 Good land and very rich and good for farming

South Open Random line between Dec. 17 & 18 T. 14 N. R. 8 W.
 40.00 Set a temporary 1/4 section
 79.00 Intersect the E & W line 68 bush East of the post corner of
 Dec. 17 & 18, 19 & 20 (from white)
 Good land & timber same. South 1/2 1st rate; North 1/2
 2nd rate. Farming land.

North On the line between Dec. 17 & 18 T. 14 N. R. 8 W
 39.50 Set the temporary 1/4 section at the corner on the line
 from white, 11 Oak 10 in diam. trees 143 E. 11 bush each
 under 11 Oak 5 " " " 152 E. 12 " "
 79.00 Intersect corner of sec. 7 & 17 & 18.

West Return Dec. 8 & 17 T. 14 N. R. 8 W.
 40.00 Set a 1/4 section from white,
 11 Oak 24 in diam. trees 124 E. 10 bush each; 72,

80.00	Neighb 9 in diam. from. S62 N 19 W. mt. mt. Set a post for the cor of cor. 7.8.1778 from white, Sugar. 8 in diam. from. S27 E 11 W. mt. mt., & a, Mapberry 9 4 4 4 N85 N 20 4 4 Sund broken by soil good; Timber same.
West 40.00	Bottom Sal. 7.18 I. 14 N. R. 8 N. Set a post for the cor of white, Sugar. 11 in diam. from. N17 N 31 W. mt. mt., & a, Do. 12 4 4 4 S45 N 23 4 4
82.61	Set a post for the cor of white, 92 W. mt. mt. of the post cor of Sal. 12.13. I. 14 N. R. 9 N. cor. set a post for the cor of 7.18 from white, Sugar. 14 in diam. from. N51 E. 27 W. mt. mt., & a, Do. 18 4 4 4 S39 N. 28 4 4 Sund broken by soil good for farming; Timber same.
South 40.00	On a Ran. am. line between Sal. 7.18 I. 14 N. R. 8 N. Set a post for the cor of white. N. 6. 80.50 Set a post for the cor of white. 50 W. mt. mt. of the post cor of cor. 7.8.1778. Sund broken by soil good. Timber same.
North 40.25	On the top line between Sal. 7.18 I. 14 N. R. 8 N. Set a post for the cor of white, at the corner on the line for the cor of the Ran. am. white, Sugar. 8 in diam. from. S47 N. 20 W. mt. mt., & a, Beck 12 4 4 4 N89 E. 47 4 4
80.50	Set a post for the cor of cor. 5.6.7.8.
West 40.00	Bottom Sal. 5.18 I. 14 N. R. 8 N. An Elm. 12 in diam. stands for the cor of the Ran. am. white, Blackberry. 14 in diam. from. South 3.18 mt. mt.
80.00	Set a post for the cor of cor. 5.6.7.8. from white, N. Mahant. 6 in diam. from. S77 E. - W. mt. mt., & a, Beck. 18 4 4 4 S83 N. 46 4 4

T. N. 14. N. R. N. 8 W. Q. M. S. S. S.

Sun & East h. mid bottom. West h. broken. Sinter
Beak Sugar Oak &c.

West Return Cal. 6 + of T. N. 14. N. R. 8 W.

40.00 Set a 7th superst from white,

Heakberry 6 in dia. h. m. S 65 E. 11 units met. &c.

Wapmt. 30, " " " N 74 W. 41, "

83.20 Intersect the West 9 Borm. 7 74 units North of the
post on of 1832 T. 14. N. R. 9 W. and set a post for
the cor. " " 6. 87 from white,

Sugar. 18 in dia. h. m. S 11 E. 27 units met. &c.

Do. 10 " " " N 50 W. 26, "

Sun & a little broken; Good land for farming; Sinter
Sugar Walnut Beak &c.

North Return Cal. 5 76. T. 14. N. R. 8 W.

35.00 Top Brook 10 units met. from E.

40.00 Set a 7th superst from white,

Sugar. 12 in dia. h. m. N 18 W. 20 units met. &c.

Sallafras Cu " " S 24 W. 18, "

45.00 Top Brook. 10 units met. from E.

80.41 Intersect the N Borm. 7 362 units East of the post on
of 1832 T. 15 N. R. 8 W. and set a post for the cor.
" " 5 76. from white

Beak 30 in dia. h. m. N 23 W. 20 units met. &c.

Do. 6 " " " S 20 W. 26, "

Some a little broken; Good land for farming; Sinter
Beak Sugar. S.

Surveyed by

William Harris; D. S.

I certify that the foregoing transcripts of the field notes
of T. N. 14. N. R. N. 8 W. Q. M. S. S. S. have been
compared with the Original notes in this Office and found to
be correct.

Surveyor General's Office

Cincinnati August 12 1841

E. S. Haines

Sur. Genl.